**Orion Healthcare Technology** 

# Setup instructions Prior to Using Admission and Discharge Module Guide Sheet

**Created by Orion** 

# 3 December 2018

### Table of Contents

Admission and Discharge Module – overview	3
Setup Instructions prior to using the Admission and Discharge Module	3
Location of Service Module – Setup	3
Where to find Location of Services	3
What is Location of Services?	4
How to an add a location to Location of Services	5
Level of Care Module – Setup	6
Where to find Level of Care	6
What is Level Care?	7
How to edit and delete existing levels of care and sub-levels	7
How to an add levels of care	7
How to an add a sub-level of care	8
How to move the levels up or down the list	10
How to add a location to a level or sub-level of care	11
Admission and Discharge Module – Creating an Episode	13
Where to find the Admission and Discharge Module	13
Creating an Episode in Admissions and Discharge	14
Client Episode Dialog (Screen Shot)	15
Client Episode Dialog – Select Level of Care	16
Client Episode Dialog – Select Location of Service	17
Client Episode Dialog – Select Diagnosis	18
Add Client's Diagnosis while in the Admission and Discharge Module	19
Client Episode Dialog –Filled out	23
If You Have Question, Please Contact Orion Support	24

### Admission and Discharge Module – overview

Admission/Discharge and Centralized Diagnosis: This feature will provide the ability to Admit, Transfer and Discharge a client through different episodes and treatment settings. This will also incorporate centralized diagnosis, which will include DSM IV, DSM V, ICD 9 and ICD 10. The Discharge Summary will also be incorporated into the Discharge Module. Benefits include the ability to get a real-time report on number of admissions, discharges, and census.

# Setup Instructions prior to using the Admission and Discharge Module

To use Admission and Discharge module you will be required to setup 2 areas within AccuCare. Please setup each area in the order given below:

- 1) Location of Service Module
- 2) Level of Care Module

### Location of Service Module - Setup

Where to find Location of Services On the Ribbon – Select Setup  $\rightarrow$  Main  $\rightarrow$  Location of Services

AccuCare			2. (	😥 🚣		Ê	2	Зĭ	1.1		Welcome, Ron Admin
EHR and Billing System	Profile	-	Intake Di	iagnosis Adm/Dis	 Notes	-	Screening	Rec Suprt	Usr Setup		Main
										-	Agency
											Users
ZAC	CUI	Caro									Provider Info
		Care ng System								l	Location of Service நி
,		.6 0)010111									Manage Permissions
- Main					- Other	Tools —				-	Personalize Navigation Menu
	-			$\sim$							Alerts Settings
	1			( <u>P</u> )		-		X		1	System
		~							•		Archive Clients
Client In	take	Admission/D	ischarge	Diagnosis	Cu	stom Form	is R	lecovery Su	ipport	(	Custom Form Builder
										F	Password Change
<u> </u>	1							Ē		F	Report Headings

### What is Location of Services?

Location of Service is where you create a picklist of all the locations were services are performed.

Abbreviati	on Name District Counseling	Center	Location Details —		
HVC LSS	Hope Valley Center Lower Street Shelte		Location Name*	District Counseling Center	
			Location Abbrevia	ation* DCC	
			Address Line 1*	123 A Street	
			Address Line 2		
			City*	Omaha	
			State*	NE T	
			Zip*	68136	
			NPI		
			Default Place of Se	11 01100	
			Inpatient Type o		
			Default Facility Default Facility		
			Classification	The second secon	

#### How to an add a location to Location of Services

Fill-in the following information areas (Fig.1)

- 1) Click the [New] button
- 2) Fill out Location Details and Default Place of Service
- 3) Click [Save] button

F	ig.	1

#### Example of filled out Location of Details

Location Details	
Location Name*	Hope Valley Center
Location Abbreviation*	HVC
Address Line 1*	42 West South Street
Address Line 2	
City*	Omaha
State*	NE 🔻
Zip*	68123
NPI	
Default Place of Service	11 - Office 🔹
Inpatient Type of Bill—	
Default Facility Type	<b></b>
Default Facility Classification	<b></b>

### Level of Care Module – Setup

Where to find Level of Care

On the Ribbon – Select Setup  $\rightarrow$  Clinical  $\rightarrow$  Level of Care

AccuCare	3 🗟 🚨 🤇	뢒 🕹 🕑		Welcome, Ron Admin
4	rofile Scheduler Intake Diag	gnosis Adm/Dis ASI	Notes TxPlans Screening Rec Suprt U	Agency
				Users
	~			Provider Info
	uCare			Location of Service
P EHR and	Billing System			Manage Permissions
				Personalize Navigation Menu
Main —			Other Tools	Alerts Settings
	2			System
C	<b>~~</b>			Archive Clients
Client Intake	Admission/Discharge	Diagnosis	Custom Forms Recovery Su	
				Password Change
		_		Report Headings
				Chart Management Setup
			$\triangleleft$	Scheduler Template
Scheduler	Billing	Client Chart	Prevention Session Lo	System Options
				System Session Log
				Billing
Clinical —			Reports	Business Info
00				Services
•		<u> </u>		Provider Info
Screening	Assessments	Patient Placement	Manager Reports Data Analy	
				Contract Rates
وشو				Accounting Codes
		•		DASA Charge Details
Treater of Dia	Des seus Nata	Mad Manual	Comment of Comment	Clinical
Treatment Plan	n Progress Notes	Med Mgmnt	Census System Questic	Client Categories
				Follow-up Setup
				Group Setup
				Level of Care
				Placement Domains

#### What is Level Care?

Level of Care is where you create your picklist of all your services. You are given a basic list which can be edited or delete. A new level or sub-level can be added. Also, your levels can be moved up or down in the order you wish to see them on the picklist.

etup > Levels Select Questic	of Care onnaire Type: Adult				
Select	Description	Locations	Edit	Remove	
	Level 0.5 - Education	None	Ø	×	
	Level I - Outpatient treatment	None	<i>J</i> <sup>2</sup>	X	
	Level II - Intensive outpatient/partial hospita	None	Ø	X	
	Level III - Medically monitored intensive I	None	1	×	
	Level IV - Medically managed intensive inpatient	None	Ø	X	
	Add Level Add Sublevel	Move Up Move Down Close			

How to edit and delete existing levels of care and sub-levels

To edit a level of care simply check the box next to the level then click on the pencil icon

Select	Description	Locations	Edit	Remove
	Level 0.5 - Education	None	$\bigcirc$	X

To delete a level of care simply check the box next to the level then click on the red X icon

Select	Description	Locations	Edit	Remove
	Level 0.5 - Education	None	J?	X

### How to an add levels of care Click the [Add Level] button

up > Levels (	of Care			
elect Questic	onnaire Type: Adult			
Select	Description	Locations	Edit	Remove
	Level 0.5 - Education	None	<u>_</u>	X
	Level I - Outpatient treatment	None	P	×
	Level II - Intensive outpatient/partial hospita	None	<i></i>	×
	Level III - Medically monitored intensive I	None	<i>_</i>	×
	Level IV - Medically managed intensive inpatient	None	<u></u>	×
	Add Level Add Sublevel M	ove Up Move Down Close		

Evel/Sublevel Details	Your level of care	Evel/Sublevel Details
Name:		Name: Level II.5 Intensive outpatient Sublevel of:
(DCC) District Counseling Center     (HVC) Hope Valley Center		<ul> <li>(DCC) District Counseling Center</li> <li>(HVC) Hope Valley Center</li> </ul>
(LSS) Lower Street Shelter		🔲 (LSS) Lower Street Shelter
OK Cancel	_	OK Cancel

# The new level of Care will automatically be added to the bottom of the list

Selec	t Description	Locations	Edit	Remove
	Level 0.5 - Education	None	<i>_</i>	X
	Level I - Outpatient treatment	bone	<i>_</i>	X
	Level II - Intensive outpatient/partial hospita	None	<i>_</i>	X
	Level III - Medically monitored intensive I	None		X
	Level IV - Medically managed intensive inpatient	None	<i>_</i>	X
7	Level II.5 Intensive outpatient	None	Ø	X

### How to an add a sub-level of care

Select the check box next to the level you wish to add a sub-level to. Then click on the [Sub-Level] button

escription	Locations	Edit	Remove		
evel 0.5 - Education	None	<i>,</i>	×		
evel I - Outpatient treatment	None	5.13	×		
evel II - Intensive outpatient/partial hospita	None	<i>,</i>	×		
evel III - Medically monitored intensive I	None	Ø	X		
evel IV - Medically managed intensive inpatient	None	<i>i</i>	×		
evel II.5 Intensive outpatient	None	<b>1</b>	×		
Add Level Add Sublevel Move U	Jp Move Down Close				
	evel I - Outpatient treatment evel II - Intensive outpatient/partial hospita evel III - Medically monitored intensive I evel IV - Medically managed intensive inpatient evel II.5 Intensive outpatient	evel I - Outpatient treatment     None       evel II - Intensive outpatient/partial hospita     None       evel III - Medically monitored intensive I     None       evel IV - Medically managed intensive inpatient     None       evel II.5 Intensive outpatient     None	avel I - Outpatient treatment     None       avel II - Intensive outpatient/partial hospita     None       avel III - Medically monitored intensive I     None       avel IV - Medically managed intensive inpatient     None       avel II.5 Intensive outpatient     None		



#### Click on the <u>black arrow</u> to expand you list of sub-level. These are now part of your level of care pick-list.

1

Select	Description	Locations	Edit	Remove	
	evel 0.5 - Education	None	0	X	No.
	Level I - Outpatient treatment	None	Ø	×	
	Level II - Intensive outpatient/partial hospita	None	Ø	X	
	Level III - Medically monitored intensive I	None	0	X	
	Level IIIA - 23 Hour Observation	None	0	X	
	Level IIIB - Crisis Stabilization and Assessment	None	1	X	
	Level IV - Medically managed intensive inpatient	None	Ø	X	
	Level II.5 Intensive outpatient	None	1	X	

### How to move the levels up or down the list

To move a level up or down simply check the box next to the level you wish to move then click [**Move Up**] button to move your selection.

	Select	Description	Locations	Edit	Remove
		Level 0.5 - Education	None	(JP)	X
		Level I - Outpatient treatment	None	<i></i> ?	X
		Level II - Intensive outpatient/partial hospita	None	Ø	X
۰T		Level III - Medically monitored intensive I	None	P	X
Î		Level IV - Medically managed intensive inpatient	None	Ø	X
4	(1	Level II.5 Intensive outpatient	None	0	X

Setu	Setup > Levels of Care							
Se	lect Questic	onnaire Type: Adult	•					
	Select	Description		Loca	ations		Edit	Remove
	Level 0.5 - Education			Non	e		J?	X
		Level I - Outpatient treatment		Non	e		Ø	X
		Level II - Intensive outpatient/	partial hospita	Non	e		P	X
->		Level II.5 Intensive outpatient	>	Non	e		Ø	X
Þ		Level III - Medically monitored	l intensive I	Non	e		J?	×
		Level IV - Medically managed	intensive inpatient	Non	e		<u>_</u>	X
		Add Level	Add Sublevel	Move Up	Move Down	Close		

### How to add a location to a level or sub-level of care

Check the level you wish to work on, then select the edit pencil

Select	Description	Locations	Edit	Remove
	Level 0.5 - Education	None	6.13	×
	Level I - Outpatient treatment	None		X

Select the location or locations where the level of care is provided.

📄 Level/Sublevel Details	
Name: Level I - Outpatient treatment Sublevel of: N/A	
(DCC) District Counseling Center	
(HVC) Hope Valley Center	
(LSS) Lower Street Shelter	

After making you selections and clicking the [OK] button. You will see your selected locations

Sele	ect	Description	Locations	Edit	Remove
		Level 0.5 - Education	None	<i>,</i>	×
	1	Level I - Outpatient treatment	(DCC) District Counseling Center (HVC) Hope Valley Center (LSS) Lower Street Shelter	Ø	X

Here is another example of multiple levels and sub-level selections

Select	Description	Locations	Edit	Remove
	Level 0.5 - Education	None	0	X
	Level I - Outpatient treatment	(DCC) District Counseling Center (HVC) Hope Valley Center (LSS) Lower Street Shelter	0	×
	Level II - Intensive outpatient/partial hospita	(DCC) District Counseling Center (HVC) Hope Valley Center	0	×
111	Level II.5 Intensive outpatient	None	0	×
	Level III - Medically monitored intensive I	(HVC) Hope Valley Center	0	X
*	Level IIIA - 23 Hour Observation	(DCC) District Counseling Center	0	X
1276	Lavel IIIP - Crisic Stabilization and Accossment	None	1	Y

\*\* Insure you have completed these prior to using the Admission and Discharge Module \*\*

### Location of Service and Level of Care

\*\* Insure you have completed these prior to using the Admission and Discharge Module \*\*

### Admission and Discharge Module – Creating an Episode

**Admission/Discharge** This feature will provide the ability to Admit, Transfer and Discharge a client through different episodes and treatment settings. This will also incorporate centralized diagnosis, which will include DSM IV, DSM V, ICD 9 and ICD 10. The Discharge Summary will also be incorporated into the Discharge Module. Benefits include the ability to get a real-time report on number of admissions, discharges, and census.

### Where to find the Admission and Discharge Module

Go to the New menu (4-quadrant view) – Look in the upper left quadrant to find this Admission / Discharge Icon



### Creating an Episode in Admissions and Discharge

Upon opening the Admission and Discharge module you will need to select a client by typing in the first couple letters of the last name. A list of clients that match your request will display.

dmission/Disch	arge	
Select a Client:	Ū.	<b>-</b> Q
🔶 Add Epis	Eden, Tom Client Reference # TE19842222 Date of Birth: 10/10/1984	
Case Summar	Jenkins, Thomas J. Client Reference # TJ19768888 Date of Birth: 10/10/1976	Episode Dat
🕢 Add L	Test, John Client Reference # Date of Birth: 11/24/1986	tom Forms
Level of C There are	Test, Johnny B. Client Reference # JT19801111 Date of Birth: 10/10/1980	e Discharged to c
	Testing, John Client Reference # Date of Birth:	
	Thomas, Janet Client Reference # Date of Birth:	
	Tile, Tom Client Reference # Date of Birth:	

Here I have chosen to work on creating an Episode of Care for Tom Tile

Admission/Disch	arde		
Select a Client:	Tile, Tom	• 🔍	Default Level of Car
Case Summar	y: Client Reference #: Age at Admission:	Episode D	ates:
Level of			Status
There are	no active Levels of Care to display. Check Include	Discharged to	display the history.



### Client Episode Dialog (Screen Shot)

Begin Client Episode	1	You should now be able to
Admission Details		create an Episode now that you
Episode: 1	Age at Admission: 18	have setup both Location of Services and Levels of Care.
Date of Admission: 12	2/03/2018 🔠 Time (Optional)	Services and Levels of Care.
Selected Analysis:	No Placement Analysis Available	
Population Type:	Adult	
Selected Level of Care:	Select a Level of Care	
Location of Service:	Select a Location of Service	
Default Level of Care:	✓	
Care Team		
Staff Beg Case Manager	in typing here	
Add/Edit Dx		
Comments:		
	Admit Cancel	

٠

### Client Episode Dialog – Select Level of Care

Begin Client Episod	e 1
Admission Details —	<b>^</b>
Episode: 1	Age at Admission: 29
Date of Admission:	12/20/2016 III Time (Optional)
Selected Analysis:	No Placement Analysis Available 🔻
Population Type:	Adult
Selected Level of Car	e:
Location of Service: Default Level of Care Care Team Staff	Level I - Outpatient treatment Level II - Intensive outpatient/partial hospita egi Level II.5 Intensive outpatient
Case Manager	Level III - Medically monitored intensive I Level IIIA - 23 Hour Observation Level IIIB - Crisis Stabilization and Assessment Level IV - Medically managed intensive inpatient

Select your Level of Care for your client

In this example I picked Level I – Outpatient treatment – since I know from my previous setup locations of service are associated to this services.

Begin Client Episode 1	
Admission Details	
Episode: 1	Age at Admission: 29
Date of Admission: 12	/20/2016 🔠 Time (Optional) 🔯
Selected Analysis:	No Placement Analysis Available 🔹 🔻
Population Type:	Adult
Selected Level of Care:	Level I - Outpatient treatment
Location of Service:	Select a Location of Service 🔹
Default Level of Care:	

### Client Episode Dialog – Select Location of Service

A list of locations presented themselves for me to choose one.

📄 Begin Client Episo	ode 1
Admission Details -	<b>_</b>
Episode: 1	Age at Admission: 29
Date of Admission:	12/20/2016 III Time (Optional)
Selected Analysis:	No Placement Analysis Available 🔻
Population Type:	Adult
Selected Level of C	are: Level I - Outpatient treatment 🔻
Location of Service	•
Default Level of Ca	
Care Team	(DCC) District Counseling Center
Staff	(HVC) Hope Valley Center Begi (LSS) Lower Street Shelter
	- (/

I have chosen (HVC) Hope Valley Center

Begin Client Episode 1	1		
Admission Details ——			
Episode: 1		Age at Admissi	on: 29
Date of Admission: 12	/20/2016	Time (Optional)	O
Selected Analysis:	No Placement Ana	lysis Available	-
Population Type:	Adult		•
Selected Level of Care:	Level I - Outpati	ent treatment	•
Location of Service:	(HVC) Hope Valley	Center	-
Default Level of Care:			

While you are creating this Episode of Care you want to pick the staff who will be their Care Team. Here I have select three staff and chosen a case manager.

Begin Client Episod	e 1				
-Admission Details					
Episode: 1	Age at Admission: 29				
Date of Admission:	12/20/2016 🔠 Time (Optional) 🔯				
Selected Analysis:	No Placement Analysis Available 🔹 🔻				
Population Type:	Adult				
Selected Level of Car	Level I - Outpatient treatment 💌				
Location of Service:	(HVC) Hope Valley Center 🔻				
Default Level of Care	: 🖉				
Staff	on Alai, CCII × bylan Lambrecht, CCII, × curtis Gormley ×				

### Client Episode Dialog – Select Diagnosis



### Add Client's Diagnosis while in the Admission and Discharge Module

When admitting a client to Admission and Discharge you given to the option to directly add their diagnosis.

Admission Details						
Episode: 1	pisode: 1 Age at Admissio					
Date of Admission: 12	/04/2018 Time (Optional)	Ø				
Selected Analysis:	No Placement Analysis Available	~				
Population Type:	Adult	-				
Selected Level of Care:	Level I - Outpatient treatment	•				
Location of Service:	(BG - SA) Nicasa Buffalo Grove - SA	-				
Default Level of Care:						
Care Team						
	n Admin × Roy Able ×					
Case Manager Ron Admin						
Diagnosis						
Add/Edit Dx						

To start click [Add/Edit Dx] button

### Click the [Add New] button to start

Diagnosis	Manager									
Client Name	Client Name: Adams, Jessie									
								<b>*</b>	Show Active C	nly
Select	Code 🔺	Description 🔺	Coding System	Primary	Admitting	Status	Archived	Edit	Delete	
										*
										-
			Add N	ew OK	Can	cel				

Under Coding System choose one the option given. In this example I have chosen DSM-5 (ICD-10) used by most of customers

Add/Edit Diagnosis							
Select Diagnosis							
Coding System:	DSM-5 (ICD-10)						
Axis:	ICD-9						
Use DSM 5 Sub	ICD-10						
Code:	DSM-IV						
	DSM-5 (ICD-9)						
Description:	DSM-5 (ICD-10)						
	·						

Next check the box <u>Use DSM 5 Substance Use Criteria</u> – this will present you list of symptoms and Substance to choose. Check two or more symptoms that apply then click the [Search Results] button

Add/Edit Diagno	osis	
Select Diagnosi	s	
Coding System:	DSM-5 (ICD-10)	
Axis:	· · · · · · · · · · · · · · · · · · ·	
Use DSM 5	Substance Use Criteria	
Substance:	Alcohol - 2	
Please check	off any symptoms that have occured in the past 12 months.	
Subst	ance often taken in larger amounts or over a longer period than was ded.	^
	is a persistent desire or unsuccessful efforts to cut down or control ance use.	
	at deal of time is spent in activities necessary to obtain the substance, use ubstance, or recovery from its effects.	
	ng or a strong desire or urge to use the substance.	
	rent substance use resulting in a failure to fulfill major role obligations at school, or home.	
	nued substance use despite having persistent or recurrent social or personal problems caused or exacerbated by the effects of the substance.	
	rtant social, occupational or recreational activities are given up or reduced use of substance use.	
Recur	rrent substance use in situations in which is physically hazardous.	
recurr	nued substance use despite knowledge of having a persistent or rent physical or psychological problem that is likely to have been caused acerbated by the substance.	
increa Or 2)	ance, as defined by either of the following: 1) A need for markedly ased amounts of the substance to achieve intoxication or desired effect. A markedly diminished effect with continued use of the same amount of ubstance.	
withd	drawal, as manifested by either of the following: 1) The characteristic lrawal syndrome for the substance. Or 2) Substance (or closely related ance) is taken to relieve or avoid withdrawal symptoms.	-
	3 Search Results	

### Select one of the choices given then click [Ok] button

the substance, o	DSM-5 Substance Use Criteria Diagnosis Results	
Recurrent substa	Substance: Alcohol - Moderate	
<ul> <li>✓ Continued subst interpersonal pr</li> <li>✓ Important social because of subst</li> <li>Recurrent substa</li> <li>Continued subst recurrent physic or exacerbated t</li> <li>Tolerance, as de increased amoui Or 2) A markedit</li> </ul>	<ul> <li>F10.20 - Alcohol use disorder, Moderate</li> <li>F10.221 - Alcohol intoxication delirium, With moderate or severe use disorder</li> <li>F10.229 - Alcohol intoxication, With moderate or severe use disorder</li> <li>F10.24 - Alcohol-induced bipolar and related disorder, With moderate or severe use disorder</li> <li>F10.24 - Alcohol-induced depressive disorder, With moderate or severe use disorder</li> <li>F10.259 - Alcohol-induced psychotic disorder, With moderate or severe use disorder</li> <li>F10.259 - Alcohol-induced psychotic disorder, With moderate or severe use disorder</li> <li>F10.26 - Alcohol-induced major neurocognitive disorder, Amnestic confabulatory type, With moderate or severe use disorder</li> <li>F10.27 - Alcohol-induced major neurocognitive disorder, Nonamnestic confabulatory type, With moderate or severe use disorder</li> </ul>	
the substance. Withdrawal, as n withdrawal synd substance) is tak	F10.280 - Alcohol-induced anxiety disorder. With moderate or severe use disorder      OK Cancel	•

# Next Check if this diagnosis is a Primary or Admitting or Both, then click [Save] button to add to Client's list of diagnoses

	or a strong desire or arge to use the substance.
	nt substance use resulting in a failure to fulfill major role obligations at chool, or home.
	ed substance use despite having persistent or recurrent social or sonal problems caused or exacerbated by the effects of the substance.
	int social, occupational or recreational activities are given up or reduced e of substance use.
Recurre	nt substance use in situations in which is physically hazardous.
recurrer	ed substance use despite knowledge of having a persistent or nt physical or psychological problem that is likely to have been caused erbated by the substance.
increase Or 2) A the sub: Withdra	ce, as defined by either of the following: 1) A need for markedly ed amounts of the substance to achieve intoxication or desired effect. markedly diminished effect with continued use of the same amount of stance. wal, as manifested by either of the following: 1) The characteristic wal syndrome for the substance. Or 2) Substance (or closely related
	ce) is taken to relieve or avoid withdrawal symptoms.
	Search Results
Code:	F10.221
Description:	Alcohol intoxication delirium, With moderate or severe use disorder
Details	
Diagnosed By:	Ron Admin 🔹
Diagnosis Date:	12/04/2018
Primary:	
Admitting:	
Archived:	
	Save Cancel

Here is the results of my selection. To add more diagnosis click the [Add New] button, [OK] to accept diagnosis or [Cancel] button to start over.

Diagnosis	Diagnosis Manager										
Client Nam	Client Name: Adams, Jessie										
		-								Show Active C	Only
Select	Code 🔺	Description	Coding System	Primary	Admitting	Status		Archived	Edit	Delete	
8	F10.221	Alcohol intoxication delirium, With moderate or severe use disorder	DSM-5 (ICD-10)	~		Active	<u>Update</u>	No	1	×	•
											Ŧ
4										۱.	
			Add N	New OK	K Can	ncel					

Here I click to [Add New] to repeat my steps to add another diagnosis.

Diagnosis	Manager										
Client Nam	e: Adams, Jes	sie								Show Active	Only
Select	Code 🔺	Description 🔺	Coding System	Primary	Admitting	Status		Archived	Edit	Delete	
۲	F10.221	Alcohol intoxication delirium, With moderate or severe use disorder	DSM-5 (ICD-10)	~		Active	<u>Update</u>	No	1	×	)
۲	F18.229	Inhalant intoxication, With moderate or severe use disorder	DSM-5 (ICD-10)		~	Active	<u>Update</u>	No	1	<b>×</b>	
											Ŧ
Add New OK Cancel											

### Client Episode Dialog –Filled out

Here is screen shot of my client episode. All I need to do is click the [Admit] button create the record.

te of Admission: 12/04/2018 Time (Optional) ected Analysis: No Placement Analysis Available pulation Type: Adult ected Level of Care: Level I - Outpatient treatment cation of Service: (BG - SA) Nicasa Buffalo Grove - SA fault Level of Care: Care Team Staff Ron Admin × Roy Able × Sam Trainer × Case Manager Ron Admin	ate of Admission:       12/04/2018       Time (Optional)         elected Analysis:       No Placement Analysis Available         oppulation Type:       Adult         elected Level of Care:       Level I - Outpatient treatment         ocation of Service:       (BG - SA) Nicasa Buffalo Grove - SA         efault Level of Care:       Image: Care Team         Staff       Ron Admin × Roy Able ×         Case Manager       Ron Admin         Image: Diagnosis       F10.221 Alcohol intoxication ×         Add/Edit Dx       Severe use disorder (DSM-5 (ICD-10))	
ected Analysis: No Placement Analysis Available   pulation Type: Adult   ected Level of Care: Level I - Outpatient treatment   cation of Service: (BG - SA) Nicasa Buffalo Grove - SA    fault Level of Care: Image: Care Team   Care Team Image: Care Team   Staff Ron Admin × Roy Able ×   Case Manager Ron Admin   Diagnosis F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))	elected Analysis: No Placement Analysis Available opulation Type: Adult elected Level of Care: Level I - Outpatient treatment coation of Service: (BG - SA) Nicasa Buffalo Grove - SA efault Level of Care:  Care Team Staff Ron Admin × Roy Able × Case Manager Ron Admin Case Man	800
pulation Type: Adult   ected Level of Care: Level I - Outpatient treatment   cation of Service: (BG - SA) Nicasa Buffalo Grove - SA    fault Level of Care: Image: Care Team   Staff Ron Admin × Roy Able ×   Staff Sam Trainer ×   Case Manager Ron Admin   Diagnosis F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))	opulation Type:       Adult         elected Level of Care:       Level I - Outpatient treatment         ocation of Service:       (BG - SA) Nicasa Buffalo Grove - SA         efault Level of Care:       Image: Care Team         Staff       Ron Admin × Roy Able ×         Staff       Sam Trainer ×         Case Manager       Ron Admin         Diagnosis       F10.221 Alcohol intoxication ×         Add/Edit Dx       F10.221 Alcohol intoxication ×         Image: Row of the team       Image: Row of team         Staff       F10.221 Alcohol intoxication ×         Image: Row of team       Image: Row of team         Image: Row of team	Q
ected Level of Care: Level I - Outpatient treatment  cation of Service: (BG - SA) Nicasa Buffalo Grove - SA  fault Level of Care:  Care Team Staff Ron Admin × Roy Able × Sam Trainer × Case Manager Ron Admin Diagnosis F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))	Add/Edit Dx     F10.221 Alcohol intoxication ×     F10.221 Alcohol intoxication ×     Clare Used I - Outpatient treatment	v
cation of Service: (BG - SA) Nicasa Buffalo Grove - SA ▼ fault Level of Care: Care Team Staff Ron Admin × Roy Able × Sam Trainer × Case Manager Case Manager Ron Admin Tiagnosis F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))	Add/Edit Dx     F10.221 Alcohol intoxication ×     Gare Team     Staff     Ron Admin × Roy Able ×     Case Manager     Ron Admin     Case Manager     F10.221 Alcohol intoxication ×   delirium, With moderate or   severe use disorder (DSM-5   (ICD-10))     F18.229 Inhalant intoxication, ×	•
fault Level of Care: Care Team Staff Ron Admin × Roy Able × ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	efault Level of Care: Care Team Staff Ron Admin × Roy Able × Sam Trainer × Case Manager Ron Admin Case Manager R	*
Care Team Staff Ron Admin × Roy Able × • • • • • • • • • • • • • • • • • •	Care Team Staff Ron Admin × Roy Able × Sam Trainer × Case Manager Ron Admin Diagnosis Add/Edit Dx F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10)) F18.229 Inhalant intoxication, ×	-
Staff Ron Admin × Roy Able × Sam Trainer × Case Manager Ron Admin Diagnosis F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))	Staff       Ron Admin × Roy Able ×         Sam Trainer ×       •         Case Manager       Ron Admin         Diagnosis       •         Add/Edit Dx       F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))         F18.229 Inhalant intoxication, ×       •	
Case Manager Ron Admin	Case Manager Ron Admin	
Case Manager Ron Admin  Case M	Case Manager Ron Admin  Diagnosis  Add/Edit Dx  F10.221 Alcohol intoxication × delirium, With moderate or severe use disorder (DSM-5 (ICD-10))  F18.229 Inhalant intoxication, ×	Q
Add/Edit Dx (ICD-10)	Diagnosis       F10.221 Alcohol intoxication x         Add/Edit Dx       Gelirium, With moderate or severe use disorder (DSM-5 (ICD-10))         F18.229 Inhalant intoxication, x	
Add/Edit Dx (ICD-10)	Diagnosis       F10.221 Alcohol intoxication x         Add/Edit Dx       F10.221 Alcohol intoxication x         Gelirium, With moderate or severe use disorder (DSM-5 (ICD-10))         F18.229 Inhalant intoxication, x	
Add/Edit Dx (ICD-10)	Diagnosis       F10.221 Alcohol intoxication x         Add/Edit Dx       F10.221 Alcohol intoxication x         Gelirium, With moderate or severe use disorder (DSM-5 (ICD-10))         F18.229 Inhalant intoxication, x	
Add/Edit Dx F10.221 Alcohol intoxication x delirium, With moderate or severe use disorder (DSM-5 (ICD-10))	Add/Edit Dx F10.221 Alcohol intoxication X delirium, With moderate or severe use disorder (DSM-5 (ICD-10)) F18.229 Inhalant intoxication, X	
Add/Edit Dx (ICD-10)	Add/Edit Dx F18.229 Inhalant intoxication, ×	
Add/Edit Dx severe use disorder (DSM-5 (ICD-10))	Add/Edit Dx severe use disorder (DSM-5 (ICD-10)) F18.229 Inhalant intoxication, X	
(ICD-10))	(ICD-10)) F18.229 Inhalant intoxication, ×	
	F18.229 Inhalant intoxication, ×	
F18.229 Innalant intoxication, X		
	mments:	*
	Admit Cancel	

#### Here is what the Episode looks like once I have admitted to Admissions and Discharge

Admission/Discharge										
Select a Client: Doe, Jane 🔹 🔍 Default Level of Care for New Records: Level I - Outpatient treatment - (BG - SA) Nicasa Buffalo Grove - SA <u>Change</u>										
Episode 2 - Admitted 12/03/2018 Episode 1 - Discharged 02/19/2018	🔶 Add Episc	de								
Case Summary: Doe, Jane Client Reference #: Age at Admission: 63 Episode Dates: 12/03/2018 - Current										
🕢 Add Level of Care 🛞 Manage Episode 🖾 Custom Forms 🕑 Include Discharged										
Level of Care	Status	Location of Service	Admit Date	Discharge Date	Transfer	Discharge	Edit	Chart	Report	
Treatment from: 12/03/2018 onward										
Level I - Outpatient treatment	Active	(BG - SA) Nicasa Buffalo Grove - SA	12/03/2018		۲	•	Ø	<b>2</b>	0	

23 | Page

### If You Have Question, Please Contact Orion Support

### Support Contact number

Ron Alai – Director of Customer Support Contact number 800-324-7966 ext. 6400

Dylan Lambrecht Account Specialist Contact number 800-324-7966 ext. 6401