

How to Change a Diagnosis From Archive to Active in the Diagnosis Module

Question:

Our staff is having trouble with the Client Diagnosis module on the menu ribbon. Within diagnosis, the Show Active Only is always checked. But it doesn't show the active diagnosis. Then the diagnosis isn't showing up on the MDA or in Admission/Discharge. I have unchecked the Show Active to get the diagnosis to show up on the MDA but it reverts and hides the active diagnosis.

Solution:


The checkbox {Show Active Only} is automatically checked when a user opens Client Diagnosis. This is set to show the user only the Active diagnosis associate with the client's record. While in the module the user has the option to uncheck this box to view the select client and other clients. When the {Show Active Only} box is unchecked the user will see all Archived and Active diagnosis. Once the user exits the Client Diagnosis it reverts to [Show Active Only]. Click the PDF link below the screenshot for full details.

The solution to fix is as follows: (see example screenshot above)

Open Client Diagnosis - **Search for the client**

1. Uncheck {**Show Active Only**} box (this will allow you to see the **Archived** diagnosis)
2. Check the {**Select**} box of the Archived diagnosis
3. Next, click the [**Edit**] button
4. Uncheck the {**Archived**} box to show the diagnosis in AccuCare in MDA and Admission and Discharge modules
5. [Save] the change

Here is a screenshot a client when the {Show Active Only} is unchecked



How to Change a Diagnosis From Archive to Active in the Diagnosis Module

Add/Edit Diagnosis

Select Diagnosis

Coding System:

Axis:

Use DSM 5 Substance Use Criteria

Substance:

Please check off any symptoms that have occurred in the past 12 months.

Substance often taken in larger amounts or over a longer period than was intended.

There is a persistent desire or unsuccessful efforts to cut down or control substance use.

A great deal of time is spent in activities necessary to obtain the substance, use the

Recurrent substance use or relapse that is physically hazardous

Continued substance use despite knowledge of having a persistent or recurrent physical or psychological problem that is likely to have been caused or exacerbated by the substance.

Tolerance, as defined by either of the following: 1) A need for markedly increased amounts of the substance to achieve intoxication or desired effect. Or 2) A markedly diminished effect with continued use of the same amount of the substance.

Withdrawal, as manifested by either of the following: 1) The characteristic withdrawal syndrome for the substance. Or 2) Substance (or closely related substance) is taken to relieve or avoid withdrawal symptoms.

Details

Diagnosed by:

Diagnosis Date:

Primary:

Admitting:

Archived:

Uncheck this box

5

Screenshot of with {Show Active Only} box checked

Client Diagnosis

Select a Client: Client Reference #: JA19891111 SSN: 455-22-1111

Show Active Only

Select	Code	Description	Axis	Coding System	Primary	Admitting	Diagnosis Date(s)	Diagnosed By	Status	Archived	View Details
<input checked="" type="checkbox"/>	F10.10	Alcohol use disorder, Mild		DSM-5 (ICD-10)	✓		04/28/2020 - current	Ron S Admin	Active	No	
<input type="checkbox"/>	F12.10	Cannabis use disorder, Mild		DSM-5 (ICD-10)		✓	04/28/2020 - current	Ron S Admin	Active	No	

For additional questions, contact AccuCare Support at 800-324-7966 or email support@orionhealthcare.com and we will be happy to assist you!